



PRODUCT DESCRIPTION

The **abCOR-ECCO fleece** is a Class A acoustic absorber engineered with a unique blend of polyester and Trevira. This has been specifically designed and blended to offer one seamless panel spanning up to 10 metres in length, providing high absorption in the mid frequencies of sound. All current design guides in the UK and Ireland like BB93 and TGD-026-1 "Acoustic Design of Schools" set strict criteria for mid frequency reverberation times, **abCOR-ECCO fleece** is exceeding these guidelines and due to its very light weight structure proves ideal for suspended ceiling treatments. The **abCOR-ECCO fleece** is manufactured using recycled plastic. Each 50mm thick panel can contain up to fifty 500ml plastic drink bottles per square metre.

PRODUCT SPECIFICATIONS

Thickness: 25, 40 or 50mm acoustic polyfibre with the option of 2mm high density needle punch face.

Sizes: Up to 3 metres in length. Width up to 1200mm.

Acoustic Performance:

Product	Thickness mm	Sound Absorption Coefficient (when tested in accordance with BS EN ISO 354: 2003)					
		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
abCOR-ECCO fleece	25	0.18	0.41	0.73	0.94	1.00	0.95
	40	0.40	0.73	1.07	1.12	1.01	0.94
	50	0.44	0.86	1.11	1.11	1.01	0.96

Fire Rating: **abCOR-ECCO fleece** comply with the Class 'O' requirements of the Building regulations, when tested to BS476: Part 6: 1981 and Part 7: 1987. Absorbers with a spray painted finish do not have a fire rating. Cara and Lucia fabrics meet the requirements of Class 1 Surface Spread of Flame when tested to BS476: Part 7: 1997 (As Amended). DIN EN 13501-1:2010

Colour Range: This acoustic fleece can be face finished in high quality acoustic needle punch compressed blend, which can incorporate acoustic fabric available in various colours or can be printed with images, logos, text etc.



"We are delighted with the work carried out by Donegan Acoustics, as your work in installing sound attenuation panels in our staff canteen has provided us with a comfortable acoustic environment in which to take our breaks once again. Prior to the installation of your acoustic panels, many staff had discontinued using the canteen for tea / lunch breaks and there was a noticeable decrease in camaraderie and morale in the offices. Without the panels, the reverberation of sound in this room was so significant that it was next to impossible to comprehend conversation across a table. In actual fact the sound quality in the room was nauseating. There was a sense of apprehension and disbelief amongst some staff that anything could be done to improve the situation but thankfully we are delighted to report that all staff are very happy with the impact of your work and are enjoying the benefit of proper rest breaks once again."

Eamonn Guilfoyle, Assistant Principal, Dept of Social Protection - Midlands North Division, Mullingar.

